



TANDEMBOX antaro

Rectangular rail with a clear design throughout the whole range



Minimalist design. Proven technology.

TANDEMBOX antaro

The TANDEMBOX drawer system has been impressing furniture users and furniture manufacturers with its proven technology for many years now. We have now developed TANDEMBOX antaro, a new programme line with new design options. TANDEMBOX antaro has a clear style – whether it's open with a gallery or as a closed drawer with a side design element.

All components are colour-coordinated. Minimalist design meets proven technology. That is TANDEMBOX antaro.

4–7 **Design**

8–15 **Programme**

16–17 **Assembly**

18–19 **Ideas for practical kitchens**

20–23 **Motion technologies**

24–25 **TANDEMBOX programme lines**

26–73 **Ordering and planning information**

74–75 **Blum**

Open, or with a design element. Consistent design

TANDEMBOX antaro starts with your choice of an open drawer, characterised by a rectangular gallery or a closed drawer with a side design element made from glass, metal or other material such as wood.




The design – Four colours. One style

Minimalist style with a customised colour concept
 The minimalist design of TANDEMBOX antaro has a consistently clear form and colouring. All nylon components are coordinated to the respective drawer side colour. The colour and material programme includes three steel variants: Silk white, white aluminium and terra black as well as stainless steel.



Silk white



Stainless steel



White aluminium (RAL 9006)



Terra black

The programme – One system for all applications



You have the choice. And all options are available

With TANDEMBOX antaro, you can realise all of your design aspirations. From inner drawers, high fronted pull-outs to open or closed drawers. Even special applications such as the SPACE TOWER larder unit, the Blum sink pull-out or the SPACE CORNER corner solution are possible.

The programme – Living room re-invented



TANDEMBOX antaro offers a complete programme for pull-outs and drawers. Whether in the kitchen, bathroom or living area – all applications are possible with TANDEMBOX antaro.

| | |
|----------------------------|----------------|
| Nominal lengths | 270 – 650 mm |
| Cabinet widths | 275 – 1.200 mm |
| Drawer side heights | N (68.5 mm) |
| | M (83.6 mm) |
| | K (115.6 mm) |



Design elements – Use to attain a unique style

By using design elements you will be able to fully enclose the drawer & simultaneously present a style statement. The elements you add can reflect your design aspirations. You can choose from Blum design elements (glass or metal). There are of course, many other possibilities (eg wood) you could use to express your ideas.

Glass design elements – Available Autumn 2012



Clear glass



Frosted glass

Metal design elements in three drawer side colours – Available March 2013



Silk white



Terra black



White aluminium (RAL 9006)

The programme – Inner dividing system



Practical organisation

The ORGA-LINE inner dividing system is not only practical, but also matches the shape and colour scheme of TANDEMBOX antaro. Storage items are perfectly organised using flexible longside and cross dividers*. Stainless steel drip trays in the drawers provide high-quality organisation. Very practical: The containers are easy to remove and are dishwasher safe.

See the ORGA-LINE brochure for more information about this practical organisational tool.

* Available March 2013



Gallery and front are connected via INSERTA technology

Assembly – Simple and tool-free



Back gallery rails clip on easily.



Front tilt adjustment



Design element assembly is very easy. Simply slide in and connect to the back locking piece.

It is important to us that assembly is as quick and easy as possible, e.g. using the proven INSERTA technology – completely tool-free.

The TANDEMBOX program line is based on the established cabinet profile. This is a real advantage especially when you are assembling different programme lines. The drilling and cutting dimensions remain the same and familiar assembly devices support efficient assembly.




View assembly video



DYNAMIC SPACE - Ideas from Blum for practical kitchens

The three important features of a practical kitchen include good workflows, enough storage space and high ease of use – at Blum, this means: workflow, space and motion.
With DYNAMIC SPACE, we offer helpful ideas, suggestions and solutions for making today's kitchen even more practical.



Workflow - Give yourself easy access

Thanks to full extension drawers & pull-outs, even those items in the farthest corner are visible and easy to reach. The right ORGA-LINE inner dividing system provides additional organisation and overview. In this way, TANDEMBOX antaro supports simple workflows in the kitchen.



Space - Optimal cabinet utilisation with TANDEMBOX antaro

TANDEMBOX antaro can also be used as an enclosed drawer with glass or metal design elements. Products are easier to stack, thus creating up to 55% more storage space. You can also achieve special solutions such as the Blum sink pull-out with TANDEMBOX antaro, gaining additional storage space from previously unused areas.



Motion -

Enhanced user convenience and quality of motion

The BLUMOTION function is integrated into TANDEMBOX cabinet profiles. Thus pull-outs always close silently and effortlessly regardless of how much force is used for closing. TANDEMBOX antaro can also be equipped with the SERVO-DRIVE electrical opening support system. A light touch on the front is enough and pull-outs open as if by themselves.



The TANDEMBOX cabinet profile – Three lines.
One solution



All TANDEMBOX programme lines are based on the tried and tested TANDEMBOX cabinet profile. Its smooth running action has been impressing users for many years now. The low-friction cylindrical nylon roller runners ensure high quality of motion for load bearing classes of 30, 50 or 65 kg. a furniture lifetime. Numerous motion and load bearing tests ensure this quality standard.



Fascinating action when opening and closing

TANDEMBOX antaro can be used with all Blum motion technologies:

BLUMOTION
inside



BLUMOTION

With BLUMOTION, pull-outs close silently and effortlessly. It doesn't matter how much force is used to close drawers and pull-outs or how heavily laden they are.

SERVO-DRIVE
inside



SERVO-DRIVE

A light touch on a handle-less front or a light pull of the handle – that's all it takes to open drawers and pull-outs with the SERVO-DRIVE electrical motion support system:

And you always have integrated BLUMOTION.

TIP-ON
inside



TIP-ON

Our mechanical opening support system TIP-ON offers practical opening comfort: Handle-less pull-outs, doors and lift systems will open at a single touch. The pull-out closes with a light press.

Top-quality motion throughout the kitchen

Along with pull-outs, lift systems can also be equipped with this comfort of motion.

For lift systems: BLUMOTION, SERVO-DRIVE, TIP-ON

For doors: BLUMOTION, TIP-ON





















TANDEMBOX – One programme. Three lines.

One Proven system. Various interpretations









With the TANDEMBOX program, you can fulfil various customer requirements with just one box system. This is because the TANDEMBOX intivo, TANDEMBOX antaro and TANDEMBOX plus lines have many different design options. The proven TANDEMBOX cabinet profile ensures smooth running action for all three programme lines.



Overview – applications

| Standard cabinet | | | | | |
|--|---|----|---|--|----|
| High fronted pull-out | | | Inner pull-out | | |
|  | High fronted pull-out – gallery – D – M drawer side | 28 |  | Inner pull-out – gallery – D – M drawer side | 34 |
|  | High fronted pull-out – gallery – D – K drawer side | 30 |  | Inner pull-out – gallery – D – K drawer side | 36 |
|  | High fronted pull-out – gallery – C – M drawer side | 32 |  | Inner pull-out – gallery – C – M drawer side | 38 |
|  | Design element – D – M drawer side | 40 |  | Design element – D – M drawer side | 40 |
|  | Design element – C – M drawer side | 41 |  | Design element – C – M drawer side | 41 |
|  | High fronted pull-out with an alu frame – gallery – D – M drawer side | 42 | | | |
|  | High fronted pull-out with an alu frame – gallery – C – M drawer side | 42 | | | |
| Corner cabinet | | | | | |
|  | SPACE CORNER with SYNCROMOTION – gallery – D/C – M drawer side | 44 |  | | |
|  | SPACE CORNER with rigid fronts – gallery – D/C – M drawer side | 45 |  | | |
| Sink cabinet | | | | | |
|  | Sink pull-out – gallery – D – M drawer side | 46 |  | | |
|  | Sink pull-out – gallery – C – M drawer side | 48 |  | | |

Overview – applications







| Standard cabinet | | | | | |
|---|------------------------------------|----|---|------------------|----|
| Drawer | | | Inner drawer | | |
|  | Drawer – K | 50 |  | Inner drawer – K | 56 |
|  | Drawer – M | 52 |  | Inner drawer – M | 58 |
|  | Drawer – N | 54 | | | |
| Corner cabinet | | | | | |
|  | SPACE CORNER with SYNCROMOTION – M | 44 | | | |
|  | SPACE CORNER with rigid fronts – M | 45 | | | |
| ORGA-LINE | | | Accessories | | |
|  | Cross gallery | 63 | TANDEMBOX cabinet profile | 60 | |
| | | | Steel back | 61 | |
| | | | Back and gallery fixing – B – M drawer side | 62 | |
| | | | | | |

Information

| Colour variants | Abbreviations | Colour variants | Abbreviations |
|-----------------|---------------|------------------------|---------------|
| Silk white | SW | Dust grey | RAL 7037 |
| Terra black | TS | Inmold stainless steel | |
| white aluminium | RAL 9006 | Nickel plated | |
| Stainless steel | IG | RAL9006/White grey | WAWG |
| White grey | WGR | Silk white/Grey | SW/G |
| Copper/Black | KU/S | | |


| | | |
|--------------|------|--|
| Packing unit | VPEH | |
|--------------|------|--|

Combination of finishes

| | | | | | |
|---|---|---|---|---|--|
|  |  | | | | |
| | Silk white | Terra black | RAL 9006 | Stainless steel | |
| Silk white |  | | | | |
| Terra black | |  | | | |
| White grey | | |  | | |
| Dust grey | | | |  | |

Order specification

High fronted pull-out – gallery – D – M drawer side



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length NL | Steel | Stainless steel |
| | 270 mm | ZRG.207RSIC* | ZRG.207RIIC* |
| | 300 mm | ZRG.237RSIC* | ZRG.237RIIC* |
| | 350 mm | ZRG.287RSIC* | ZRG.287RIIC* |
| | 400 mm | ZRG.337RSIC* | ZRG.337RIIC* |
| | 450 mm | ZRG.387RSIC* | ZRG.387RIIC* |
| | 500 mm | ZRG.437RSIC* | ZRG.437RIIC* |
| | 550 mm | ZRG.487RSIC* | ZRG.487RIIC* |
| | 600 mm | ZRG.537RSIC* | ZRG.537RIIC* |
| | 650 mm | ZRG.587RSIC* | ZRG.587RIIC* |

| 3 | Back fixing and gallery fixing left/right | | |
|---|---|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30D000SL | |
| | Steel back | | 61 |
| | | | |

| | Front stabilisation | |
|--|---|----------|
| | For stabilising wide and high fronts | Z96.10E1 |
| | Reinforces the connection between the drawer side and the front | |
| | Planning | 62 |

| 4 | Front fixing bracket | | |
|---|----------------------|----|----------|
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| Page instructions | |
|---|----|
| Additional parts for an aluminium front | 42 |
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

Planning information

High fronted pull-out – gallery – D – M drawer side

| Space requirements in cabinet | Front dimensions | Back installation dimensions | |
|-------------------------------|------------------|------------------------------|--|
| | FA Front overlay | | |
| | | | |


| Space requirement |
|-------------------|
| |
| NL Nominal length |

| Cutting dim. for 16 mm chipboard | |
|----------------------------------|---------------------|
| | |
| Back | 199 mm |
| Base | Chipboard back |
| | NL - 24 mm |
| | Steel back |
| | NL - 22 mm |
| KB | Cabinet width |
| LW | Inner cabinet width |
| NL | Nominal length |


| Page instructions |
|----------------------------------|
| Assembly, removal and adjustment |
| 64 |


Order specification


High fronted pull-out – gallery – D – K drawer side




| 2a, 2b, 2c | Drawer sides and cover caps left/right | |
|--|--|---|
|  | |   |
| | Colour variants | SW TS RAL9006 |
| | Nominal length | Steel |
| | 270 mm | 358K2702SA |
| | 300 mm | 358K3002SA |
| | 350 mm | 358K3502SA |
| | 400 mm | 358K4002SA |
| | 450 mm | 358K4502SA |
| | 500 mm | 358K5002SA |
| | 550 mm | 358K5502SA |
| | 600 mm | 359K6002SA |
| | 650 mm | 359K6502SA |

| | | |
|---|----------------------------------|---------------|
| 8 | Longside gallery rail left/right | |
|  | | |
| | Colour variants | SW TS RAL9006 |
| | Nominal length NL | Steel |
| | 270 mm | ZRG.207RSIC* |
| | 300 mm | ZRG.237RSIC* |
| | 350 mm | ZRG.287RSIC* |
| | 400 mm | ZRG.337RSIC* |
| | 450 mm | ZRG.387RSIC* |
| | 500 mm | ZRG.437RSIC* |
| | 550 mm | ZRG.487RSIC* |
| | 600 mm | ZRG.537RSIC* |
| | 650 mm | ZRG.587RSIC* |

| | | | |
|--|--|------------------|------------|
| <div>3</div>  | Back fixing and gallery fixing left/right | | |
| | | | |
| | Colour variants | SW | TS RAL9006 |
| | | Steel | |
| | | Z30D000SL | |
| | Steel back | | |

| | | |
|---|---|----------|
|  | Front stabilisation | |
| | For stabilising wide and high fronts | Z96.10E1 |
| | Reinforces the connection between the drawer side and the front | |
| | Planning | 62 |




| | | | |
|---|-----------------------------|----|-----------------|
| 4 | Front fixing bracket | | |
|  | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| Page instructions | |
|---|----|
| Additional parts for an aluminium frame front | 42 |
| TANDEMBOX cabinet profile | 60 |


Information
Available March 2013

Planning information

High fronted pull-out – gallery – D – K drawer side

| Space requirements in cabinet | Front dimensions | Back installation dimensions |
|---|---|---|
|  | <p>FA Front overlay</p>  |  |



Space requirement




Technical drawing of a chair showing dimensions. The height is indicated as 228. The width is indicated as $NL + P$.

NL Nominal length

Cutting dim. for 16 mm chipboard

| | |
|---|---|
|  | Back 199 mm LW - 87 mm |
|  | Base Chipboard back NL - 24 mm Steel back NL - 22 mm LW - 75 mm |




| | |
|----|---------------------|
| KB | Cabinet width |
| LW | Inner cabinet width |
| NL | Nominal length |


| | |
|----------------------------------|-----------|
| Page instructions | |
| Assembly, removal and adjustment | 64 |


Order specification


High fronted pull-out – gallery – C – M drawer side




| 2a, 2b | Drawer sides and cover caps left/right | | |
|--|--|---------------|-----------------|
|  | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|---------------|-----------------|
|  | Colour variants | SW TS RAL9006 | |
| | Nominal length NL | Steel | Stainless steel |
| | 270 mm | ZRG.207RSIC* | ZRG.207RIIC* |
| | 300 mm | ZRG.237RSIC* | ZRG.237RIIC* |
| | 350 mm | ZRG.287RSIC* | ZRG.287RIIC* |
| | 400 mm | ZRG.337RSIC* | ZRG.337RIIC* |
| | 450 mm | ZRG.387RSIC* | ZRG.387RIIC* |
| | 500 mm | ZRG.437RSIC* | ZRG.437RIIC* |
| | 550 mm | ZRG.487RSIC* | ZRG.487RIIC* |
| | 600 mm | ZRG.537RSIC* | ZRG.537RIIC* |
| | 650 mm | ZRG.587RSIC* | ZRG.587RIIC* |

| 3 | Back fixing and gallery fixing left/right | | |
|--|---|---------------|---------------|
|  | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30C000S | |
| | Steel back | | 61 |




| | Front stabilisation | |
|---|---|----------|
|  | For stabilising wide and high fronts | Z96.10E1 |
| | Reinforces the connection between the drawer side and the front | |
| | Planning | 62 |


| 4 | Front fixing bracket | | |
|--|----------------------|----|----------|
|  | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |



| Page instructions | |
|---|----|
| Additional parts for an aluminium front | 42 |
| Design element | 41 |
| TANDEMBOX cabinet profile | 60 |

Planning information

High fronted pull-out – gallery – C – M drawer side

| Space requirements in cabinet | Front dimensions | Back installation dimensions | |
|---|---|---|--|
|  | FA Front overlay  |  | |


| Space requirement |
|--|
|  |
| NL Nominal length |

| Cutting dim. for 16 mm chipboard | |
|---|--|
|  | Back 167 mm LW - 87 mm Base Chipboard back NL - 24 mm Steel back NL - 22 mm LW - 75 mm |
|  | KB Cabinet width LW Inner cabinet width NL Nominal length |


| Page instructions |
|----------------------------------|
| Assembly, removal and adjustment |
| 64 |


Order specification


Inner pull-out – gallery – D – M drawer side




| 2a, 2b | Drawer sides and cover caps left/right | | |
|--|--|---------------|-----------------|
|  | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 3 | Back fixing and gallery fixing left/right | | |
|--|---|---------------|---------------|
|  | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30D000SL | |
| | Steel back | | 61 |

| 4a, 4b, 4c | Front fixing left/right | | |
|--|-----------------------------------|----------|---------|
|  | Colour variants | SW S WGR | RAL7037 |
| | | Nylon | |
| | | ZIF.74D0 | |
| | Incl. locking piece Z31A0008 | | |
| | Incl. 2x gallery heads ZRG.000R5F | | |

| 5 | Front section | | |
|--|---------------------|---------------|---------------|
|  | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Aluminium | |
| | For cutting to size | Z31L1036A | |



| 7a | Cross gallery | | |
|---|---------------------|---------------|---------------|
|  | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Aluminium | |
| | For cutting to size | ZRG.1046Z | |



| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|---------------|-----------------|
|  | Colour variants | SW TS RAL9006 | |
| | Nominal length NL | Steel | Stainless steel |
| | 270 mm | ZRG.207RSIC* | ZRG.207RIIC* |
| | 300 mm | ZRG.237RSIC* | ZRG.237RIIC* |
| | 350 mm | ZRG.287RSIC* | ZRG.287RIIC* |
| | 400 mm | ZRG.337RSIC* | ZRG.337RIIC* |
| | 450 mm | ZRG.387RSIC* | ZRG.387RIIC* |
| | 500 mm | ZRG.437RSIC* | ZRG.437RIIC* |
| | 550 mm | ZRG.487RSIC* | ZRG.487RIIC* |
| | 600 mm | ZRG.537RSIC* | ZRG.537RIIC* |
| | 650 mm | ZRG.587RSIC* | ZRG.587RIIC* |



| Page instructions | |
|---------------------------|----|
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

Planning information

Inner pull-out – gallery – D – M drawer side

| Space requirements in cabinet | Back installation dimensions | | |
|---|---|--|--|
|  |  | | |


| Space requirement | Front piece for cutting to size |
|---|---|
|  |  |
| NL Nominal length | x = LW - 132 |

| Cutting dim. for 16 mm chipboard | Cross gallery for cutting to size |
|---|---|
|  |  |
| KB Cabinet width | |
| LW Inner cabinet width | |
| NL Nominal length | x = LW - 122 |

| Page instructions |
|----------------------------------|
| Assembly, removal and adjustment |

Order specification

Inner pull-out – gallery – D – K drawer side



| 2a, 2b, 2c | Drawer sides and cover caps left/right | |
|------------|--|---------------|
| | Colour variants | SW TS RAL9006 |
| | Nominal length | Steel |
| | 270 mm | 358K2702SA |
| | 300 mm | 358K3002SA |
| | 350 mm | 358K3502SA |
| | 400 mm | 358K4002SA |
| | 450 mm | 358K4502SA |
| | 500 mm | 358K5002SA |
| | 550 mm | 358K5502SA |
| | 600 mm | 359K6002SA |
| | 650 mm | 359K6502SA |

| 3 | Back fixing and gallery fixing left/right | |
|---|---|---------------|
| | Colour variants | SW TS RAL9006 |
| | | Steel |
| | | Z30D000SL |
| | Steel back | 61 |

| 4a, 4b, 4c | Front fixing left/right | |
|------------|-----------------------------------|-----------|
| | Colour variants | SW TS WGR |
| | | Nylon |
| | | ZIF.74D0 |
| | Incl. locking piece Z31A0008 | |
| | Incl. 2x gallery heads ZRG.000R5F | |

| 5 | Front section | |
|---|---------------------|---------------|
| | Colour variants | SW TS RAL9006 |
| | | Aluminium |
| | For cutting to size | Z31L1036A |

| 7a | Cross gallery | |
|----|---------------------|---------------|
| | Colour variants | SW TS RAL9006 |
| | | Aluminium |
| | For cutting to size | ZRG.1046Z |

| 8 | Longside gallery rail left/right | |
|---|----------------------------------|---------------|
| | Colour variants | SW TS RAL9006 |
| | Nominal length NL | Steel |
| | 270 mm | ZRG.207RSIC* |
| | 300 mm | ZRG.237RSIC* |
| | 350 mm | ZRG.287RSIC* |
| | 400 mm | ZRG.337RSIC* |
| | 450 mm | ZRG.387RSIC* |
| | 500 mm | ZRG.437RSIC* |
| | 550 mm | ZRG.487RSIC* |
| | 600 mm | ZRG.537RSIC* |
| | 650 mm | ZRG.587RSIC* |

| Page instructions | |
|---------------------------|----|
| TANDEMBOX cabinet profile | 60 |

| i | Information |
|----------------------|-------------|
| Available March 2013 | |

Planning information

Inner pull-out – gallery – D – K drawer side

| Space requirements in cabinet | Back installation dimensions | | |
|-------------------------------|------------------------------|--|--|
| | | | |


| Space requirement | Front piece for cutting to size |
|-------------------|---------------------------------|
| | |
| NL Nominal length | x = LW - 132 |

| Cutting dim. for 16 mm chipboard | Cross gallery for cutting to size |
|----------------------------------|-----------------------------------|
| | |
| KB Cabinet width | x = LW - 122 |
| LW Inner cabinet width | |
| NL Nominal length | |

| Page instructions |
|----------------------------------|
| Assembly, removal and adjustment |

Order specification

Inner pull-out – gallery – C – M drawer side



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 3 | Back fixing and gallery fixing left/right | | |
|---|---|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30C000S | |
| | Steel back | | 61 |

| 4a, 4b, 4c | Front fixing left/right | | |
|------------|-----------------------------------|----------|---------|
| | Colour variants | SW S WGR | RAL7037 |
| | | Nylon | |
| | | ZIF.74C0 | |
| | Incl. locking piece Z31A0008 | | |
| | Incl. 2x gallery heads ZRG.000R5F | | |

| 5 | Front section | | |
|---|---------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Aluminium | |
| | For cutting to size | Z31L1036A | |




| 7a | Cross gallery | | |
|----|---------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Aluminium | |
| | For cutting to size | ZRG.1046Z | |

| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length NL | Steel | Stainless steel |
| | 270 mm | ZRG.207RSIC* | ZRG.207RIIC* |
| | 300 mm | ZRG.237RSIC* | ZRG.237RIIC* |
| | 350 mm | ZRG.287RSIC* | ZRG.287RIIC* |
| | 400 mm | ZRG.337RSIC* | ZRG.337RIIC* |
| | 450 mm | ZRG.387RSIC* | ZRG.387RIIC* |
| | 500 mm | ZRG.437RSIC* | ZRG.437RIIC* |
| | 550 mm | ZRG.487RSIC* | ZRG.487RIIC* |
| | 600 mm | ZRG.537RSIC* | ZRG.537RIIC* |
| | 650 mm | ZRG.587RSIC* | ZRG.587RIIC* |

| Page instructions | |
|---------------------------|----|
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

Planning information

Inner pull-out – gallery – C – M drawer side





| Page instructions | |
|----------------------------------|----|
| Assembly, removal and adjustment | 66 |


Order specification


Design element – D – M drawer side




| Locking piece set | | | | |
|--|---|----------|---|-----|
|  | Colour variants | SW | S | WGR |
| | | RAL7037 | | |
| | Includes: | Nylon | | |
| | | Z36D0080 | | |
| 15a | 2x locking pieces front upper (transparent) | | | |
| 15b | 2x locking pieces front lower (transparent) | | | |
| 15c | 1x locking piece left/right | | | |



| 16 | Design element | | | |
|---|----------------|----|----------|---------|
| | | | Glass | |
|  | Nominal length | | Clear | Frosted |
| | 270 mm | 2x | Z37R237D | |
| | 300 mm | 2x | Z37R267D | |
| | 350 mm | 2x | Z37R317D | |
| | 400 mm | 2x | Z37R367D | |
| | 450 mm | 2x | Z37R417D | |
| | 500 mm | 2x | Z37R467D | |
| | 550 mm | 2x | Z37R517D | |
| | 600 mm | 2x | Z37R567D | |
| | 650 mm | 2x | Z37R617D | |

| Design element cutting dimensions | |
|---|---|
|  | According to standard (DIN EN 14749 Edition Nov. 2005) no safety glass is stipulated in combination with TANDEMBOX intivo. The edge is a polished flat-ended edge with a 1 mm +/-0.5 mm bevel. |
| x = NL - 33 | |


| 16 | Metal design element (can be cut down to suit smaller NL) | | | |
|--|--|----|-----------|---------|
| | | | Aluminium | |
|  | Colour variants | SW | TS | RAL9006 |
| | Nominal length | | | |
| | 450 mm | 2x | Z37A417D | |
| | 500 mm | 2x | Z37A467D | |
| | 550 mm | 2x | Z37A517D | |
| | 650 mm | 2x | Z37A617D | |


| i | Information |
|---|-------------|
| Metal design element available March 2013 | |


Order specification


Design element – C – M drawer side




| Locking piece set | | | | | |
|---|---|----------|---|-----|--|
|  | Colour variants | SW | S | WGR | |
| | | RAL7037 | | | |
| | | Nylon | | | |
| | Includes: | Z36C0080 | | | |
| 15a | 2x locking pieces front upper (transparent) | | | | |
| 15b | 2x locking pieces front lower (transparent) | | | | |
| 15c | 1x locking piece left/right | | | | |




| 16 | Design element | | | |
|--|----------------|----|----------|---------|
| | | | Glass | |
|  | Nominal length | | Clear | Frosted |
| | 270 mm | 2x | Z37R237C | |
| | 300 mm | 2x | Z37R267C | |
| | 350 mm | 2x | Z37R317C | |
| | 400 mm | 2x | Z37R367C | |
| | 450 mm | 2x | Z37R417C | |
| | 500 mm | 2x | Z37R467C | |
| | 550 mm | 2x | Z37R517C | |
| | 600 mm | 2x | Z37R567C | |
| | 650 mm | 2x | Z37R617C | |


| Design element cutting dimensions | |
|--|---|
|  | According to standard (DIN EN 14749 Edition Nov. 2005) no safety glass is stipulated in combination with TANDEMBOX intivo. The edge is a polished flat-ended edge with a 1 mm +/-0.5 mm bevel. |
| x = NL - 33 | |


| 16 | Metal design element (can be cut down to suit smaller NL) | | | |
|---|--|----|-----------|---------|
| | | | Aluminium | |
|  | Colour variants | SW | TS | RAL9006 |
| | Nominal length | | | |
| | 450 mm | 2x | Z37A417C | |
| | 500 mm | 2x | Z37A467C | |
| | 550 mm | 2x | Z37A517C | |
| | 650 mm | 2x | Z37A617C | |


| i | Information |
|---|-------------|
| Metal design element available March 2013 | |

High fronted pull-out with an alu frame – gallery – D/C – M drawer side







| | | | |
|---|----------------------|----|----------|
| 4 | Front fixing bracket | | |
|  | Screw-on version | 2x | ZSF.3502 |
| | | | |

| | | | |
|--|-------------------------------------|---------------|-------------|
| 4d | Adapter for alu frames, symmetrical | | |
|  | Colour variants | natural/white | |
| | | Nylon | |
| | | 2x | ZRF.2200.01 |

| | | | |
|---|-----------------|---------------|------------|
| 8a | Gallery head | | |
|  | Colour variants | natural/white | |
| | | Nylon | |
| | | 2x | ZRG.000R5F |

| | |
|---------------------------|----|
| Page instructions | |
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

High fronted pull-out with an alu frame – gallery – D/C – M drawer side



| Space requirements in cabinet | Front dimensions | Back installation dimensions | |
|---|---|---|---|
|  | <p>FA Front overlay</p>  | <p>Height D</p>  | <p>Height C</p>  |
| * Height C min 163 | * Height C 96 | | |


Space requirement

* Height C 196

NL Nominal length

Cutting dim. for 16 mm chipboard

| | |
|---|---|
|  | Back 199 mm* |
|  | Base Chipboard back NL - 24 mm Steel back NL - 22 mm |



| | |
|----|---------------------|
| KB | Cabinet width |
| LW | Inner cabinet width |
| NL | Nominal length |



* Height C 167



| | |
|----------------------------------|-----------|
| Page instructions | |
| Assembly, removal and adjustment | 67 |

Order specification

SPACE CORNER with SYNCROMOTION



| High fronted pull-out | | | Colour | | | |
|--|---|---|--------|----|---------|-----------------|
|  | SPACE CORNER with SYNCROMOTION – gallery – D |  | | | | |
| | | | SW | TS | RAL9006 | |
| | | | Steel | | | Stainless steel |
| | | | | | | |

| High fronted pull-out | | | Colour | | | |
|---|---|--|--------|----|---------|-----------------|
|  | SPACE CORNER with SYNCROMOTION – gallery – C |  | | | | |
| | | | SW | TS | RAL9006 | |
| | | | Steel | | | Stainless steel |
| | | | | | | |

| Drawer | | | Colour | | | |
|--|---------------------------------------|---|--------|----|---------|-----------------|
|  | SPACE CORNER with SYNCROMOTION – M |  | | | | |
| | | | SW | TS | RAL9006 | |
| | | | Steel | | | Stainless steel |
| | | | | | | |



Please use our **DYNALOG** software for planning, ordering and assembly.

| Order specification | |
|---------------------------|----|
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

Order specification

SPACE CORNER with rigid fronts



| High fronted pull-out | | | Colour | | | |
|---|--|---|--------|----|---------|-----------------|
|  | SPACE CORNER with Rigid fronts – gallery – D |  | | | | |
| | | | SW | TS | RAL9006 | |
| | | | Steel | | | Stainless steel |
| | | | | | | |


| Drawer | | | Colour | | | |
|---|---------------------------------------|---|--------|----|---------|-----------------|
|  | SPACE CORNER with Rigid fronts – M |  | | | | |
| | | | SW | TS | RAL9006 | |
| | | | Steel | | | Stainless steel |
| | | | | | | |

Please use our **DYNALOG** software for planning, ordering and assembly.

| Order specification | |
|---------------------------|----|
| Design element | 40 |
| TANDEMBOX cabinet profile | 60 |

Order specification

Sink pull-out – gallery – D – M drawer side



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 11 | Sink drawer side left/right | | |
|----|-----------------------------|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 450 mm | 358M4504SG | 358M4504IG |
| | 500 mm | 358M5004SG | 358M5004IG |
| | 550 mm | 358M5504SG | 358M5504IG |
| | 600 mm | 358M6004SG | 358M6004IG |
| | 650 mm | 358M6504SG | 358M6504IG |

| 3 | Back fixing and gallery fixing left/right | | |
|---|---|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30D000SL | |
| | Steel back | | 61 |

| 12 | Back fixing left/right | | |
|----|------------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30N000S.04 | |
| | Steel back | | 61 |

| 4 | Front fixing bracket | | |
|---|----------------------|----|----------|
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| 13 | Adapter left/right | | |
|----|--------------------|-------------|--|
| | Colour variants | RAL7037 | |
| | | Nylon | |
| | | Z30N0002.6Z | |




| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|-----------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length NL | Steel | Stainless steel |
| | 450 mm | 2x ZRG.387RSIC* | ZRG.387RIIC* |
| | 500 mm | 2x ZRG.437RSIC* | ZRG.437RIIC* |
| | 550 mm | 2x ZRG.487RSIC* | ZRG.487RIIC* |
| | 600 mm | 2x ZRG.537RSIC* | ZRG.537RIIC* |
| | 650 mm | 2x ZRG.587RSIC* | ZRG.587RIIC* |

| | Front stabilisation | | |
|--|---|--|----------|
| | For stabilising wide and high fronts | | Z96.10E1 |
| | Reinforces the connection between the drawer side and the front | | |
| | Planning | | 62 |

| Page instructions | | |
|---------------------------|--|----|
| Design element | | 40 |
| TANDEMBOX cabinet profile | | 60 |

Planning information


Sink pull-out – gallery – D – M drawer side



| Page instructions | | |
|----------------------------------|--|----|
| Assembly, removal and adjustment | | 67 |

Order specification

Sink pull-out – gallery – C – M drawer side



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|------------|-----------------|
| | Colour variants | SW TS | RAL9006 |
| | Nominal length | Steel | Stainless steel |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 11 | Sink drawer side left/right | | |
|----|-----------------------------|------------|-----------------|
| | Colour variants | SW TS | RAL9006 |
| | Nominal length | Steel | Stainless steel |
| | 450 mm | 358M4504SG | 358M4504IG |
| | 500 mm | 358M5004SG | 358M5004IG |
| | 550 mm | 358M5504SG | 358M5504IG |
| | 600 mm | 358M6004SG | 358M6004IG |
| | 650 mm | 358M6504SG | 358M6504IG |

| 3 | Back fixing and gallery fixing left/right | | |
|---|---|----------|---------------|
| | Colour variants | SW TS | RAL9006 |
| | | Steel | Nickel plated |
| | | Z30C000S | |
| | Steel back | | 61 |

| 12 | Back fixing left/right | | |
|----|------------------------|-------------|---------------|
| | Colour variants | SW TS | RAL9006 |
| | | Steel | Nickel plated |
| | | Z30N000S.04 | |
| | Steel back | | 61 |

| 4 | Front fixing bracket | | |
|---|----------------------|-------|----------|
| | Colour variants | SW TS | RAL9006 |
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| 13 | Adapter left/right | | |
|----|--------------------|-------------|---------|
| | Colour variants | SW TS | RAL9006 |
| | | | Nylon |
| | | Z30N0002.6Z | |
| | | | 62 |




| 8 | Longside gallery rail left/right | | |
|---|----------------------------------|-------|-----------------|
| | Colour variants | SW TS | RAL9006 |
| | Nominal length NL | Steel | Stainless steel |
| | 450 mm | 2x | ZRG.387RSIC* |
| | 500 mm | 2x | ZRG.437RSIC* |
| | 550 mm | 2x | ZRG.487RSIC* |
| | 600 mm | 2x | ZRG.537RSIC* |
| | 650 mm | 2x | ZRG.587RSIC* |

| Front stabilisation | Front stabilisation | | |
|---------------------|---|----------|---------|
| | For stabilising wide and high fronts | SW TS | RAL9006 |
| | | | Nylon |
| | | Z96.10E1 | |
| | Reinforces the connection between the drawer side and the front | | 62 |

| Page instructions | | |
|---------------------------|--|----|
| Design element | | 40 |
| TANDEMBOX cabinet profile | | 60 |

Planning information


Sink pull-out – gallery – C – M drawer side




| Page instructions | | |
|----------------------------------|--|----|
| Assembly, removal and adjustment | | 67 |

Order specification

Drawer – K



| 2a, 2b, 2c | Drawer sides and cover caps left/right | | |
|------------|--|------------|---------|
| | Colour variants | SW TS | RAL9006 |
| | Nominal length | Steel | |
| | 270 mm | 358K2702SA | |
| | 300 mm | 358K3002SA | |
| | 350 mm | 358K3502SA | |
| | 400 mm | 358K4002SA | |
| | 450 mm | 358K4502SA | |
| | 500 mm | 358K5002SA | |
| | 550 mm | 358K5502SA | |
| | 600 mm | 359K6002SA | |
| | 650 mm | 359K6502SA | |

 **Information**

Available March 2013

| 3 | Back fixing left/right | | |
|---|------------------------|----------|---------|
| | Colour variants | SW TS | RAL9006 |
| | | Steel | |
| | | Z30K000S | |
| | Steel back | 61 | |


| 4 | Front fixing bracket | | |
|---|----------------------|----|----------|
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| Page instructions | | |
|---------------------------|--|----|
| TANDEMBOX cabinet profile | | 60 |

Planning information


Drawer – K

Space requirements in cabinet




Front dimensions


FA Front overlay



Back installation dimensions




Space requirement




NL Nominal length


Cutting dim. for 16 mm chipboard



Back
116 mm
LW - 87 mm



Base
Chipboard back
NL - 24 mm
Steel back
NL - 22 mm
LW - 75 mm




KB Cabinet width
LW Inner cabinet width
NL Nominal length

| Page instructions | | |
|----------------------------------|--|----|
| Assembly, removal and adjustment | | 70 |

Order specification

Drawer – M



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 3 | Back fixing left/right | | |
|---|------------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | Steel | |
| | | Z30M000S.04 | |
| | Steel back | | 61 |

| 4 | Front fixing bracket | | |
|---|----------------------|----|----------|
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| Page instructions | | |
|---------------------------|--|----|
| TANDEMBOX cabinet profile | | 60 |

Planning information

Drawer – M

| Space requirements in cabinet | Front dimensions | Back installation dimensions | |
|-------------------------------|------------------|------------------------------|--|
| | FA Front overlay | | |
| | | | |


| Space requirement |
|-------------------|
| |
| NL Nominal length |

| Cutting dim. for 16 mm chipboard | | |
|----------------------------------|-------------|---------------------|
| | Back | 84 mm |
| | LW - 87 mm | |
| | Base | Chipboard back |
| | NL - 24 mm | |
| | Steel back | |
| | NL - 22 mm | |
| | LW - 75 mm | |
| | KB | Cabinet width |
| | LW | Inner cabinet width |
| | NL | Nominal length |

| Page instructions | |
|----------------------------------|----|
| Assembly, removal and adjustment | |
| | 70 |

Order specification

Drawer – N



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|------------|-----------------|
| | Colour variants | SW TS | RAL9006 |
| | Nominal length | Steel | Stainless steel |
| | 400 mm | 358N4002SA | 358N4002IA |
| | 450 mm | 358N4502SA | 358N4502IA |
| | 500 mm | 358N5002SA | 358N5002IA |
| | 550 mm | 358N5502SA | 358N5502IA |




| 3 | Back fixing left/right | | |
|---|------------------------|-------------|---------------|
| | Colour variants | SW TS | RAL9006 |
| | | Steel | Nickel plated |
| | | Z30N000S.04 | |
| | Steel back | 61 | |

| 4 | Front fixing bracket | | |
|---|----------------------|----|----------|
| | INSERTA version | 2x | ZSF.3902 |
| | Screw-on version | 2x | ZSF.3502 |
| | Knock-in version | 2x | ZSF.3602 |

| Page instructions | |
|---------------------------|----|
| TANDEMBOX cabinet profile | 60 |

Planning information


Drawer – N



| Page instructions | |
|----------------------------------|----|
| Assembly, removal and adjustment | 70 |

Order specification

Inner drawer – K



| 2a, 2b, 2c | Drawer sides and cover caps left/right | | | |
|------------|--|------------|----|---------|
| | Colour variants | SW | TS | RAL9006 |
| | Nominal length | Steel | | |
| | 270 mm | 358K2702SA | | |
| | 300 mm | 358K3002SA | | |
| | 350 mm | 358K3502SA | | |
| | 400 mm | 358K4002SA | | |
| | 450 mm | 358K4502SA | | |
| | 500 mm | 358K5002SA | | |
| | 550 mm | 358K5502SA | | |
| | 600 mm | 359K6002SA | | |
| | 650 mm | 359K6502SA | | |

| 3 | Back fixing left/right | | | |
|---|------------------------|----------|----|---------|
| | Colour variants | SW | TS | RAL9006 |
| | | Steel | | |
| | | Z30K000S | | |
| | Steel back | 61 | | |

| 4a, 4c | Front fixing left/right | | | |
|--------|------------------------------|----------|---|-----|
| | Colour variants | SW | S | WGR |
| | | Nylon | | |
| | | ZIF.71K0 | | |
| | Incl. locking piece Z31A0008 | | | |

| 5 | Front section | | | |
|---|---------------------|-----------|----|---------|
| | Colour variants | SW | TS | RAL9006 |
| | | Aluminium | | |
| | For cutting to size | Z31L1036A | | |

| 6a | Handle | | | |
|----|-----------------|----------|---|-----|
| | Colour variants | SW | S | WGR |
| | | Nylon | | |
| | | ZIF.80M5 | | |

| Alternative to 6a | | | | |
|-------------------|-----------------------------|----------|---|-----|
| 6b | Handle and latch (optional) | | | |
| | Colour variants | SW | S | WGR |
| | | Nylon | | |
| | | ZIF.80M7 | | |

| Page instructions | |
|---------------------------|----|
| TANDEMBOX cabinet profile | 60 |

| i | Information |
|----------------------|-------------|
| Available March 2013 | |

Planning information

Inner drawer – K

| Space requirements in cabinet | Front drilling distance for latch | Back installation dimensions | |
|-------------------------------|-----------------------------------|------------------------------|--|
| | | | |


| Space requirement | Front piece for cutting to size |
|-------------------|---------------------------------|
| | |
| NL Nominal length | x = LW - 132 |

| Cutting dim. for 16 mm chipboard | |
|----------------------------------|--|
| | |
| Back 116 mm LW - 87 mm | Base Chipboard back NL - 24 mm Steel back NL - 22 mm LW - 75 mm |
| KB | Cabinet width |
| LW | Inner cabinet width |
| NL | Nominal length |

| Page instructions | |
|----------------------------------|----|
| Assembly, removal and adjustment | 70 |

Order specification

Inner drawer – M



| 2a, 2b | Drawer sides and cover caps left/right | | |
|--------|--|---------------|-----------------|
| | Colour variants | SW TS RAL9006 | |
| | Nominal length | Steel | Stainless steel |
| | 270 mm | 358M2702SA | 358M2702IA |
| | 300 mm | 358M3002SA | 358M3002IA |
| | 350 mm | 358M3502SA | 358M3502IA |
| | 400 mm | 358M4002SA | 358M4002IA |
| | 450 mm | 358M4502SA | 358M4502IA |
| | 500 mm | 358M5002SA | 358M5002IA |
| | 550 mm | 358M5502SA | 358M5502IA |
| | 600 mm | 359M6002SA | 359M6002IA |
| | 650 mm | 359M6502SA | 359M6502IA |

| 6a | Handle | | | |
|----|-----------------|----------|----------|--|
| | Colour variants | SW S WGR | RAL7037 | |
| | | | Nylon | |
| | | | ZIF.80M5 | |

Alternative to 6a

| 6b | Handle and latch (optional) | | | |
|----|-----------------------------|----------|----------|--|
| | Colour variants | SW S WGR | RAL7037 | |
| | | | Nylon | |
| | | | ZIF.80M7 | |

Page instructions

TANDEMBOX cabinet profile 60

| 3 | Back fixing left/right | | |
|---|------------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | | Steel |
| | | Z30M000S.04 | |
| | Steel back | | 61 |

| 4a, 4c | Front fixing left/right | | |
|--------|------------------------------|----------|---------|
| | Colour variants | SW S WGR | RAL7037 |
| | | | Nylon |
| | | ZIF.71M0 | |
| | Incl. locking piece Z31A0008 | | |

| 5 | Front section | | |
|---|---------------------|---------------|---------------|
| | Colour variants | SW TS RAL9006 | Nickel plated |
| | | | Aluminium |
| | For cutting to size | Z31L1036A | |

Planning information

Inner drawer – M

| Space requirements in cabinet | Front drilling distance for latch | Back installation dimensions | |
|---|-----------------------------------|------------------------------|--|
| * With ZIF.80M7 can be used with height 73 and higher | | | |
| | | | |

| Space requirement | Front piece for cutting to size |
|------------------------|---------------------------------|
| | |
| * With handle ZIF.80M7 | |
| NL Nominal length | x = LW - 132 |


| Cutting dim. for 16 mm chipboard | | |
|----------------------------------|----------------|---------------------|
| | Back | 84 mm |
| | LW - 87 mm | |
| | Base | |
| | Chipboard back | NL - 24 mm |
| | Steel back | NL - 22 mm |
| | LW - 75 mm | |
| | KB | Cabinet width |
| | LW | Inner cabinet width |
| | NL | Nominal length |

Page instructions





Assembly, removal and adjustment 70

Order specification

TANDEMBOX cabinet profile

| Cabinet profiles left/right | | | | | | | |
|---|----------------|-------------|-----------|-----------|-----------|-----------|-----------|
|  | Nominal length | BLUMOTION* | | | TIP-ON | | |
| | | 30 kg | 50 kg | 65 kg | 20 kg | 30 kg | 50 kg |
| | 270 mm | 558.2701B | | | 559.2701T | | |
| | 300 mm | 558.3001B | | | 559.3001T | | |
| | 350 mm | 558.3501B01 | | | | 559.3501T | |
| | 400 mm | 558.4001B01 | | | | 559.4001T | |
| | 450 mm | 558.4501B01 | 559.4501B | 556.4501B | | | 559.4501T |
| | 500 mm | 558.5001B | 559.5001B | 556.5001B | | | 559.5001T |
| | 550 mm | 558.5501B | 559.5501B | 556.5501B | | | 559.5501T |
| | 600 mm | | 559.6001B | 556.6001B | | | 559.6001T |
| | 650 mm | | 559.6501B | 556.6501B | | | 559.6501T |
| * Suitable for SERVO-DRIVE | | | | | | | |


Cabinet profile fixing positions





| | | | | | |
|---|-----------------|-------------|---|--------------|------------------|
| A | Chipboard screw | Ø 4 x 15 mm | B | System screw | Part no. 661.145 |
|---|-----------------|-------------|---|--------------|------------------|


Order specification


Accessories – Steel back

|  | N back | | | | |
|---|-----------------|--------------|----|---------|---------------|
| | Colour variants | SW | TS | RAL9006 | Nickel plated |
| | | Steel | | | |
| | | ☎ Z30NxxxS.6 | | | |


|  | M back | | | | |
|---|-----------------|--------------|----|---------|---------------|
| | Colour variants | SW | TS | RAL9006 | Nickel plated |
| | | Steel | | | |
| | | ☎ Z30MxxxS.6 | | | |

|  | K drawer back | | | | |
|---|-----------------|--------------|----|---------|---------------|
| | Colour variants | SW | TS | RAL9006 | Nickel plated |
| | | Steel | | | |
| | | ☎ Z30KxxxS.6 | | | |

|  | C drawer back | | | | |
|---|-----------------|--------------|----|---------|---------------|
| | Colour variants | SW | TS | RAL9006 | Nickel plated |
| | | Steel | | | |
| | | ☎ Z30CxxxS.6 | | | |

|  | D back | | | | |
|---|-----------------|--------------|----|---------|---------------|
| | Colour variants | SW | TS | RAL9006 | Nickel plated |
| | | Steel | | | |
| | | ☎ Z30DxxxS.6 | | | |


Calculation of width



LW Inner cabinet width xxx Width

Example:
Internal cabinet width 567 mm - 28 mm = back width 539 mm
Order: **Z30M539S** in white

Cutting dim. for 16 mm chipboard




Base
NL - 22 mm




LW Inner cabinet width

NL Nominal length



Order specification

Accessories – Back and gallery fixing – B – M drawer side

|  | Back fixing and gallery fixing left/right | | | |
|---|---|-------------|----|---------------|
| | Colour variants | SW | TS | Nickel plated |
| | | Steel | | |
| | | Z30B000S.04 | | |


| Space requirements in cabinet | Front dimensions | Back installation dimensions | |
|--|--|---|--|
|  | FA Front overlay  |  | |


Accessories – Front stabilisation


| Space requirements in cabinet | Front dimensions | | |
|---|---|--|--|
|  |  | | |


Order specification


ORGA-LINE






| | | | | |
|---|---|------------|----|---------------|
| 1 | Cross gallery | | | |
|  | | | | |
| | Colour variants | SW | TS | Nickel plated |
| | Cabinet width | Aluminium | | |
| | 275 mm | ☎ ZRG.179Q | | |
| | 300 mm | ☎ ZRG.204Q | | |
| | 550 mm | ☎ ZRG.454Q | | |
| | 600 mm | ☎ ZRG.504Q | | |
| | 900 mm | ☎ ZRG.804Q | | |
| | 1.200 mm | ZRG.1104Q | | |
| | Cross gallery for cutting to size: LW-63 mm | | | |
| LW Inner cabinet width | | | | |

| Case studies: |
|--|
|  |

| 2 | Cross gallery connector | | | |
|---|-------------------------|----------|---|-----|
|  | Colour variants | SW | S | WGR |
| | | RAL7037 | | |
| | | Nylon | | |
| | | ZRU.11E0 | | |


| 3 | Longside divider | | | |
|---|------------------|----------|---|-----|
|  | Colour variants | SW | S | WGR |
| | | RAL7037 | | |
| | | Nylon | | |
| | | ZRU.11F0 | | |

|  | Information |
|---|----------------------|
|  | Available March 2013 |


| Bottles |
|---|
|  |
| Waste bin pull-out |

Assembly, removal and adjustment


High fronted pull-out



Tilt adjustment




Height adjustment + side adjustment



Assembly, removal and adjustment







Design element




Assembly, removal and adjustment

Inner pull-out



Locking piece






Design element assembly

65


Assembly, removal and adjustment



Alu frame



Sink pull-out



Gallery assembly and adjustment

64

Cover cap assembly


64

Design element assembly


65

Assembly, removal and adjustment


Design element removal



Gallery removal – high fronted pull-out




Front removal




Assembly, removal and adjustment



Gallery removal – inner pull-out




Gallery removal – alu frame




Assembly, removal and adjustment

Drawer




Height adjustment + side adjustment



Comment: Both sides require adjustment

Inner drawer




Locking piece




Assembly, removal and adjustment




Handle and latch




Latch activated




Release



Deactivate latch



Front removal



Assembly, removal and adjustment

Cross divider

1

XXX = LW - 63 mm
LW = inner cabinet width

2

3

4

5

6

Adjustment – cross gallery

7

Longside divider

1

Assembly, removal and adjustment



Cross gallery removal

1

2

3

4

5

6

Design element removal



Perfecting motion

Blum's fittings solutions are designed to make opening and closing furniture a mesmerising experience. That's why we make every effort to perfect the motion of our lift, hinge, box and runner systems.



DYNAMIC SPACE

Blum products help to optimise work-flows, gain storage space and offer a high level of comfort – making kitchens more practical.

Top quality

Blum products have been developed for everyday kitchen use and are a pleasure to use a furniture lifetime.



innovations

We want our fittings solutions to be innovative and make everyday kitchen use easier. That's why our developments are based on findings from requirements research and input from our customers.

Environment

Blum strives to minimise its environmental impact. We use environmentally-friendly processes, use raw materials intelligently and save energy wherever we can.



Blum in Austria and around the world

Over 5000 employees support us on our quest for perfect motion. Our fittings are manufactured at ten plants. Seven are in Austria, the remaining are in the USA, Brazil and Poland. Thanks to international subsidiaries and sales agencies, Blum is on site to serve its customers all over the world.

Global customer benefits

From furniture manufacturer to user: Each should profit from the advantages of Blum products.



1952



The first product

Studs are attached to horse-shoes to stop horses slipping.

1958



Début in the furniture industry

The ANUBA hinge is Blum's first furniture fitting.

1964



Production start

Blum produces concealed furniture hinges.

1966



Roller runners

Blum starts to produce roller runners.

1985



Assembly technology

CLIP hinges can be mounted without tools thanks to CLIP technology.

1987



Box systems

Blum's first box system goes into production with METABOX.

2001



Soft-close system

BLUMOTION ensures that furniture closes softly and effortlessly.

2005



Lift systems

AVENTOS lift systems are presented for the first time


2007



Electrical opening support

SERVO-DRIVE has received numerous awards for design and function.

2011



Runner systems

With MOVENTO, a new generation of runner systems was born.



Julius Blum GmbH
Furniture Fittings Mfg.
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-mail: info@blum.com
www.blum.com



 **blum**®